



CENTSYS

CENTINEL™



**The most automatic
of manual traffic
barriers**





CENTINEL™

When we designed the **CENTINEL** manual traffic barrier, we had the user in mind. After all, just because it's a manual barrier doesn't mean you have to do all of the work!

We outfitted the **CENTINEL** with an innovative internal spring balance mechanism – which not only gives the barrier a compact slim-line appearance, but also means that the most feather-light of touches can set it in motion... because you don't necessarily want a shoulder workout when manning a barrier.



Features and benefits

Internal spring counterbalance

This innovative system contributes both to the **CENTINEL**'s undeniably attractive slim-line look and – most importantly – makes raising and lowering a very nearly automated action.

Professional, compact appearance

Sleek and slender, the **CENTINEL** is a looker and will blend in seamlessly with the aesthetic of any modern business park. It might even receive a few amorous wolf-whistles from the other parking equipment!

Comfortable operating handle

You don't need alligator hide on your hands for you to conveniently and comfortably operate the **CENTINEL**. The actuating handle is designed for comfortable and easy handling of the pole.

Simple locking system

But what if there's heavy traffic flow? Will the hapless guard need to stand there keeping the pole raised until every muscle and sinew aches? Not with a **CENTINEL** installed! To secure the pole in the raised or lowered position, simply turn the convenient, easy-to-use thumbwheel.

Strong and durable

The **CENTINEL** will willingly submit to the operator's touch, but its incredibly robust construction ensures that it will firmly stand its ground against the elements.



BARRIERS

Technical specifications

	CENTINEL 3	CENTINEL 4.5	CENTINEL 6
Boom pole length	3m	4.5m	6m
Counterbalance spring	Internal		
Housing specification	Epoxy-coated mild steel or grade 3CR12 stainless steel – traffic yellow		
Barrier pole specification	Aluminium round profile, epoxy-coated white with red reflective tape		

0.07.B.0062

E&OE Centurion Systems (Pty) Ltd reserves the right to change any product without prior notice

www.CentSys.com.au

Centurion Systems (Pty) Ltd • South Africa
Contact number: +27 11 699 2400